

2024
Q3



PROFESSIONAL RADIOS & ACCESSORIES



GO!®

FULL SIZE PRO DIGITAL RADIO



**MOST
POPULAR**

DIGITAL **DMR**

UHF & VHF AVAILABLE!

- 4 Watts UHF
- 5 Watts VHF
- MotoTRBO Tier II & Hytera Compatible
- IP56 Water Resistant
- 32 Channels
- 2,000 mAh Battery
- 2 Slot Simplex

**"M1"
MOTOROLA
STYLE CONNECTOR**



FREE
screw-down
audio
accessory
clamp.



SILICONE CASES

Genuine
blackbox

4.50"



FLEXTM

PROFESSIONAL REPEATER

DIGITAL REPEATER UHF & VHF DUAL BAND

"The World's Most Flexible Repeater"



DMR
DIGITAL MOBILE RADIO ASSOCIATION

NO NEED TO RE-PROGRAM YOUR RADIOS - NO MHZ SPREAD!
THE FLEX TRANSMITS & RECEIVES ON THE SAME FREQUENCIES.

- Dual Band (UHF & VHF) DMR Repeater
- Dual Band & Dual Standby
- Same Frequency Repeater Function
- **3,000 mAh 10A Polymer Lithium Battery**
- Single Frequency Repeater
- Automatic Power Supply Mode Conversion
- (DC): Voltage Input: 12V~48V
- TFT Screen

Genuine
blackbox



BANTAM[®]

Best in Class Compact Analog Radio.



ANALOG

- UHF or VHF
- 16 Channels
- 5 / 4 / 2 watts
- Scanning
- Voice Channel Enunciation
- PC Program Freqs, PL, DPL
- VOX
- NARROWBAND !
- Programmable Buttons:
Voice Encryption Function
High/Low Power



**KENWOOD
STYLE CONNECTOR**

**MOTOROLA
STYLE CONNECTOR**

*Your
Choice*

Genuine
blackbox



3.75"



SILICONE CASES

Plus[®]

Rugged JobSite Radio.



ANALOG

- IP54 (Water Resistant)
- 4 Watts, UHF
5 Watts, VHF
- 16 Channels with Scan
- 2-Tone Encode / Decode
- VOX (Voice activated)
- Voice Enunciation for each ch.
- Programmable Button
(VOX, Announce Battery
Power, or Emergency Alert)

4.25"



"M1"
MOTOROLA
STYLE CONNECTOR



FREE
screw-down
audio
accessory
clamp.



SILICONE CASES

Genuine
blackbox

POCKET+[®]

SUB COMPACT RADIO



ONLY
3.7"
TALL

ONLY
0.5"
THIN

ANALOG



**MOTOROLA
STYLE CONNECTOR**

NEW



**KENWOOD
STYLE CONNECTOR**

- 1.5 Watt
- 16 Channel
- PC Programmable
- Compander Incl.
- Dual PTT (front/side)
- 1-Year Warranty*



Genuine
blackbox



POCKET+®

CHARGERS & OPTIONS



Single & 6-Unit Drop-In Chargers.
Saves charging time and damage to your radios!

This charger adapter was
Custom Built for
Motorola OEM
CLS Radio Chargers!



Now you can upgrade from
Motorola CLS radio to
POCKET radios and
keep using your 6-unit
Motorola CLS chargers!



DECIBEL™

Noise Canceling w/ Radio Built In



**NO NEED TO BUY RADIOS.
THE DECIBEL HAS A RADIO
BUILT INTO THE HEADSET!**



**1.5W
AUDIO OUTPUT**



Great for Tour Guides!

- High-Noise Headset with 2-Way Radio Built-In
- Noise Canceling Microphone
- UHF / FRS / GMRS
- PC Programmable
- Communicate with multiple headsets
- Volume & Channel Selector
- Flex Boom

CHANNEL & VOLUME



Remote PTT Options
Finger, Weapon, Steering Wheel

- Charging: 2.5 hours
- Talk Time: 4 Hours
- Standby Time: 80 hours



MOBILE

INSTALLED IN VEHICLE OR AS A BASE STATION.

UHF & VHF
versions available

ANALOG

55 / 40 WATTS.
VHF / UHF.
EASY TO USE.
SOLID STATE.



- 200 Channels
- Optional Field Programmability
- Alpha-Numeric Display
- Narrow and Wide Band option
- Alarm/Stun/2-Tone/5-Tone
- Conventional Network Scalability

- Tune it like a ham radio then program freq to memory.
- Wide band - scan local police, fire, ambulance, helo rescue, etc.
- Compander audio enhancement
- ANI



Genuine
blackbox

FLEX™

PROFESSIONAL MOBILE RADIO



DIGITAL & ANALOG UHF & VHF IN 1

"The World's Most Flexible Mobile Radio"

1.5"



- Sub-Compact (4.5"X1.5")
- DMR & Analog
- UHF & VHF
- 2 Slot Simplex
- 20 Watts
- Headset Port
- Encryption & Scan



Only 4.5" wide

Antenna sold separately



Turn the FLEX into a Base Station
with these available accessories:



Optional
DTMF Mic.



FLEX Mobile has a
2-Pin Kenwood Port
for all of our
High-Noise Headsets

Genuine
blackbox

BBGR™

BLACKBOX GLOBAL RADIO

LONG-RANGE 2-WAY RADIOS WITH SIM CARD



ANDROID



NEW & IMPROVED
USER INTERFACE, MAPS &
ALL-NEW DISPATCH!

*PTT INFINITE GROUPS NATIONWIDE!



**GENUINE AT&T SIM
CARDS AVAILABLE!**

**DISPATCH
WITH GPS!**



CARRY CASES



ONE-WIRE

Different. Better. Patented.

TUBELESS

CURL™

- C-RING EARLOOP.
- LEFT OR RIGHT EAR.
- IN-LINE MICROPHONE WITH PTT.
- SPEAKER RESTS ON EAR.



PTT Mic

KEVLAR®

Reinforced cables

SEE CONNECTOR
OPTIONS CHART

INTREPID™

- RIGHT-EAR ONLY.
- IN-LINE MICROPHONE WITH PTT.
- KEVLAR REINFORCED CABLES.



INCLUDES 3 SIZES

SEE CONNECTOR
OPTIONS CHART

PTT Mic

NOISE CANCELING MICROPHONE

COMFIT™

- RIGHT-EAR ONLY.
- IN-LINE PTT.
- NOISE CANCELING BOOM MICROPHONE



INCLUDES 3 SIZES

SEE CONNECTOR
OPTIONS CHART

14" CABLE



ONE-WIRE

Affordable, Superior Quality.



STAR™

- Coiled audio tube with quick disconnect for easy cleaning and changing.
- In-line PTT button and mic.

Quick-Disconnect
Audio Tube

14" Cord
2.6mm

Mic.
PTT
Button

SEE CONNECTOR
OPTIONS CHART

32" Cord
3.0mm

AGENT™

- Sturdy "C" swivel earloop with clear-audio speaker that rests on the ear.
- In-line mic. & PTT button.
- Great for shift workers to share earpieces.
- Left or right ear.

14" Cord
2.3mm

32" Cord
3.0mm

D-Ring available



SEE CONNECTOR
OPTIONS CHART

Quick Disconnect Audio Tube



COMFORT-EAR
Noise Reduction
Foam Earpiece Option

G-FLEX
Earpiece Option

MUSHROOM
Earpiece Option

PINKIE
Earpiece



SPLIT-WIRE

Wires split at the PTT Button.



SIGNAL™


- Comfortable acoustic coil tube (black or clear)
- Adjustable for left or right ear usage
- PTT button with built-in microphone & clothing clip



SEE CONNECTOR
OPTIONS CHART

BODYGUARD™

- Adjustable for left or right ear usage
- PTT button with built-in microphone & clothing clip
- Great for Security, Hotels, Casinos, Rentals, etc.



SEE CONNECTOR
OPTIONS CHART

Did you know?

Klein offers ODM & OEM services for custom products.

PTT Button

Mic



Quick-Disconnect
Audio Tube



TWO WIRE

Public Safety Grade. Kevlar Cables.



DIRECTOR™

- Side-bar PTT with noise reduction microphone & steel clothing clip
- Comfortable acoustic coil tube (black or clear)

47" Cord
2.6mm

47" Cord
2.6mm

SEE CONNECTOR
OPTIONS CHART

PATRIOT™

- True Noise Reducing Mic.
- Kevlar reinforced cables
- Clear sound in High-Noise areas
- **Dual PTT buttons - Front Facing**
- Comfortable acoustic coil tube (black & clear available)



Designed in partnership
with Gang Task-Force Officers,
the Front-Facing PTT button
is easy to press if grappling.

SEE CONNECTOR
OPTIONS CHART

18" when coil is stretched
4.0mm



COMFORT-EAR
Noise Reduction
Foam Eartip Option

K-FLEX
Eartip Option

MUSHROOM
Eartip Option

PINKIE
Eartip

Noise
Reduction
Microphone

PTT
Button



Noise
Reduction
Microphone

Dual
PTT Button



NOISE CANCELING

Microphone Cancels Background Noise.

DIRECTOR-NC™

2-WIRE SURVEILLANCE KIT

- *DIRECTIONAL Microphone. Reduces Background Noise.
- *PRO Armature Speaker for stealth look and super loud / clear audio.
- *Kevlar Reinforced Cabling.
- *Clear Audio Acoustic Coil Tube (black tube optional).

INDUSTRY-STANDARD
PTT Button

DIRECTIONAL
MICROPHONE



SEE
CONNECTOR
CHART

QUICK-DISCONNECT
FOR EASY CLEANING
AND REPLACEMENT



PATRIOT-NC™

2-WIRE SURVEILLANCE KIT

- *DIRECTIONAL Microphone. Reduces Background Noise.
- *Dual Front-Facing PTT Switches - *For grappling or wearing gloves!*
- *Kevlar Reinforced Cabling.
- *PRO Armature speaker with QD audio tube.

FRONT-FACING
DUAL PTT

DIRECTIONAL
MICROPHONE



SEE
CONNECTOR
CHART

18" when coil is stretched
4.0mm



MODULAR

Interchangeable Audio System.



1. Buy the Main Unit
2. Pick a headset or throat mic.
3. Pick a radio connector cable
4. Ring & Barrel PTT's are optional



- A variety of Radio Cables connect to a Junction Box with PTT. From that, the user chooses from different headset options.
- Ring finger or waterproof barrel PTT buttons are optional.
- Throat Mic. is adjustable for larger sized necks.

PTT JUNCTION BOX

LISTEN-ONLY

Receive-only Earpieces - No Mic.

INTREPID-LOE™

- Receive-Only
- Right-Ear
- 3 Sizes of Eartip




AVAILABLE WITH:
2.5MM / 3.5MM
STRAIGHT / RT ANGLE



SCORPION™

- Receive-Only
- Earloop with eartip
- Swivels for Left or Right Ear!

AVAILABLE WITH:
2.5MM / 3.5MM
STRAIGHT / RT ANGLE



AGENT™ LOE

- Sturdy "C" adjustable earloop with clear audio speaker that rests on ear
- Short or Long cables available
- 3.5mm right angle connector
- Swivels for Left or Right Ear!

AVAILABLE WITH:
3.5MM
STRAIGHT / RT ANGLE



SHADOW™

- Receive-only earpiece with high-quality speaker, standard quick disconnect clear acoustic tube and eartip
- 12" or 42" length cord
- Super strong strain relief

AVAILABLE WITH:
2.5MM / 3.5MM
STRAIGHT / RT ANGLE

Coil Cord
Optional

12" or 42" Cord
3 mm thick



SHADOW-PRO™

- Mini-armature speaker for super loud and clear voice quality
- Listen-only earpiece with clear acoustic tube and eartip
- Rugged cables
- Clothing clip

AVAILABLE WITH:
2.5MM / 3.5MM
STRAIGHT / RT ANGLE

12" or 42" Cord
3 mm thick



PRO-RACING

- Used for Racing
- Comfortable foam
- Knowles speaker

DARK SERIES™

COVERT LISTEN-ONLY EARPIECE

- Sub-Miniature Speaker.
- Nearly Invisible Cable with Easy-Stretch Coil.
- Adjustable Clip.
- Large Tactile Connector.

**ULTRA-DISCREET FOR
POLICE / PUBLIC SAFETY**



UNIQUE RSMs

Purpose Built for Special Teams

+ RESCUE-M7

Built for Motorola APX Series



2.50"

EMERGENCY BUTTON



- BUILT FOR MOTO APX SERIES
- EMERGENCY BUTTON
- WATERPROOF (LAB CERTIFIED)
- CLIP OPTIONS
- AUDIO PORT FOR EARPIECE
- RUGGED STRAIN RELIEFS



CLIP MOUNT
IN VEHICLE



MALE CONNECTOR
-BACK OF RSM-



BELT CLIP
-REMOVEABLE-



2.60"

Micro-USB
Charging

VALIANT®

VETERAN®



Which Connector
to Choose?

BBGR & M8



2.50"

Compact.
Battery Operated.
Volume Control.

Small & Rugged.
Tactile PTT.

SPEAKER MICS

Rugged. Patented. Waterproof.



VALOR

- Rubber overmolded.
- 3 PTT switches
- 2 Audio Ports with Locking Cams (patented design)

BRAVO

- IP67 Waterproof Compliant
- Compact Size
- Strong Strain Relief
- Ruggedized Cable

FLARE

- Slim & Flat
- Tactile PTT switch
- Swivel clothing clip
- Reinforced Cabling

**WORLD'S
LOUDEST
SPEAKER**

**LAB CERTIFIED
IP67
WATERPROOF**

**COMPACT
&
RUGGED**

Vehicle Mount
for O-Post



O-Post for
Vehicle Mount



Swivel Belt Clip
-Detachable-



*Clip options built
for Valor & Bravo*

RSM Clip Options

for Valor & Bravo mics.

HIGH-NOISE

HIGH NOISE CANCELING HEADSETS



Dual-Sport

- Racing, Manufacturing, Engineers, Construction, OSHA Compliance, Oil Rig.
- Universal 5-pin cable connector plus a 3.5mm port for listen-only.
- Sealed push-to-talk.
- Electret or Dynamic mic. is available.
- dB reduction rated earshells.
- Use with K-Cord™!



water
proof
PTT

Comet

- SINGLE MUFF HEADSET W/PTT
- Impact rated earshell
- Universal 5-pin cable connector port
- Swivel Boom for Left or Right side use
- Soft hygienic cover for earpad included



Dual-Comm

- DUAL PTT Buttons (Independent)
- DUAL cable connector ports
- Use 2 radios per headset!
- Electret or Dynamic mic. is available.
- dB reduction rated earshells.
- Use with K-Cord™!



Rigged for
Dual Cables

SEE
CONNECTOR
CHART

SEE
CONNECTOR
CHART



Titan-LO

- Listen-Only (no microphone)
- Uses any K-Cord cable.



Shown connected
to an RSM with
a short K-Cord.

BEHIND-THE-HEAD

HIGH NOISE CANCELING HEADSETS

TITAN[®] FLEX



- Tarmac, Manufacturing, Construction, Fracking, Warehousing, Racing, OSHA.
- Waterproof Push-To-Talk button.
- dB Reducing Earshells.
- Noise Canceling Microphone.



RED, BLACK, CARBON FIBER



water
proof
PTT

TITAN[®] EXTREME HIGH NOISE

- Similar to Titan-Flex, but with a Mechanical-Boom microphone.



YOUR CHOICE:
Dynamic or Electret
Microphone



HIGH NOISE



Wear
Hearing
Protection

R-7 SERIES

Built with OEM Motorola Connectors

DIRECTOR

2-Wire Earpiece.
Rugged PTT
& Microphone
& eartip options.



R7 to M1
Adapter

Silicone Grip Carry Cases.

With & Without Keypad.



CURL

1-Wire Earpiece.
In-line PTT &
Microphone.



**water
proof
PTT**

PATRIOT

2-Wire Earpiece.
Front-Facing PTT
w/ Microphone
& eartip options.



K-Cord-R7

High-Memory Coil,
Shielded, Rugged.



STAR

1-Wire Earpiece.
In-line PTT & Mic.



We use Genuine
Motorola connectors!



R-7 SERIES

BRAVO Shoulder Speaker / Mic.

LAB CERTIFIED
IP67
WATERPROOF

- IP67 Waterproof
- Compact Size
- Strong Strain Relief
- Ruggedized Cable



Swivel Belt Clip
-Detachable-



O-Post for
Vehicle Mount



Vehicle Mount
for O-Post



GEN 2 IMPROVED AUDIO
LOUD & CLEAR



We use Genuine Motorola connectors!

LIGHTWEIGHT

Tactical Quality. Clear & Loud Audio.



11" Cord
3.2mm

VOYAGER™

- Over-the-head
- Industrial Quality
- In-line PTT button
- Swivel boom microphone
- Adjustable steel headband

SEE
CONNECTOR
CHART

32" Cord
3.2mm



36" Cord
3.2mm

CREWCHIEF™

- Heavy duty headset with noise cancelling boom microphone
- In-line PTT button
- Behind-the-head design

SEE
CONNECTOR
CHART

18" Cord
3.2mm



DUAL
Audio-Tube
Optional



COMMANDER™

- Extreme heavy duty headset with noise canceling flexible boom microphone
- In-line PTT button options.
- Behind-the-head design - adjustable
- Single and DUAL audio tube versions



14" Cord
2.6mm

RAZOR™

- Behind-the-head
- Water resistant in-line PTT button
- Noise canceling boom mic
- Speaker rests on the ear for comfort

SEE
CONNECTOR
CHART

32" Cord
3.2mm

ADAPTERS

4 Styles to Choose From!



"M3"

"M4"

Quick-Disconnect Adapter Series
For Earpieces, Mics & Headsets
See Connector Chart for Compatibility



"K2"

"M7"

2

Convert Multi-Pin Port Accessories
to Single or Dual Pin for Earpieces & Headsets.

• M9-Adapter - for the XPR3300, 3500, etc.

- TRBO - for the TRBO, XPR, APX7000, etc.
- K9717 - for the HT750, GP328 (incl PIT)
- K9716a - for the HT750, GP328 (no PIT)
- K6676 - for the HT1000, XTS 3000, etc.
- K3180 - for the TK380, 390, 480, etc.
- K4455 - for the Motorola EX500, etc.



M9

TRBO

K9716a

K9717

K6676

K4455

K3180

3

Pigtail Adapters

Prevents Radio Damage by Reducing Stress to Port

K1-K1 Adapter

- Kenwood Male to Kenwood Female Adapter
- Works with "Kenwood" (K1) connector radios.



K1-M1 Adapter

- Kenwood Male to Motorola Female Adapter
- Works with "Kenwood" (K1) connector radios.



M1-M1 Adapter

- Motorola Male to Motorola Female Adapter
- Works with "Motorola" (M1) connector radios.



M1-Y4 Adapter

- Vertex Male to Motorola Female Adapter
- Works with "Vertex" (Y4) connector radios.



4

3.5mm Female Adapters

Radio connector w/adapter only. Requires headset w/3.5mm pin

Motorola Adapter



Reduce damage to the headset jack by keeping an adapter on the radio at all times!



Vertex Adapter

MULTI-CHARGERS

EFFICIENT, AFFORDABLE AND DURABLE CHARGERS!

12-GAUGE



6-SHOT



Easy-Swap Pods.
Available for All
Popular Radio &
Battery Models.

POCKET⁶



TEAM6TM

MULTI CHARGER

NEW
UPDATE!



(GO! Radios displayed)

16"



A variety of
interchangeable
pods available.



Vehicle charger
cord option.

Pods are tooled to
accommodate radios
with silicone grip cases!



Need custom pods
for your devices?
Just ask!

MOUNT KIT



FUELPAD-12[®]

Universal. 1 outlet cable. 12 positions.

(Radios not included)



16.5"

For the FuelPad, there no need to purchase pods!
You use what came with your device. Mix-N-Match
radios, phones, or even power tools!



Dual front ports for charging up
power tools or other devices!



RADIOGRIPS®

Custom Made Silicone Cases.

Still fits perfectly into OEM chargers.



MOTOROLA

R7



XPR7550

XPR



XPR3300

XPRKP



TLK100



CP200



CP100-D



blackbox

GO!



Blackbox+

Pocket+
Gen II



Bantam

M1-DMR



KENWOOD

NX1000



TK3160



TK3360



Hytera

PD602

PD502

PD682



DEBOSS

EMBOSS

NEED CUSTOM CASES?

ANY DEVICE - ANY COLOR!

PARTS

High quality and in stock.

**PRO
PARTS**



K-Tube™-QD

- Quick-disconnect locking "wing" for acoustic tubes.



K-CORD

- Built for High-Noise Headsets
- Kevlar Strand.
- 3 Year Warranty

SEE CONNECTOR
OPTIONS CHART



Clear

K-Tube™

- Quick disconnect tube
- White, Black or clear



Black



White



ComFit-Tips™

Silicone Eartip for ComFit

- Hypo-Allergenic Silicone!
- 3 Sizes per kit
- Right ear only



K-FLEX™

Skeleton Eartip

- Hypo-Allergenic Silicone!
- 4 Sizes available
- Left or right ear



Pinkies

- Hypo-Allergenic Silicone!



**Mushroom
Eartips**

- Hypo-Allergenic Silicone!



COMFORT-EAR

Noise Reduction
Foam Eartips



Ear-Cuff

Ear Hook with
Audio Tube.

Radio Programming
Software is always a
FREE download!

Programming Cables

Software & Tech Support
is free! Just email or call.



PARTS

In stock and ready to ship.



Portable Radio
Replacement Antennas

Replacement Antennas

Portable, Mobile, Base & Repeater



Mobile Radio Antennas



Microphones

For High-Noise Headsets.

- Electret or Dynamic



Foam or Gel Earpads

- Replacement foam or gel earpads for high-noise headsets.
- Sold in pairs.



Titan Strap

For Titan Headsets.

Accessory Clamps

- Screw-Down, Aluminum
- For Blackbox 2-Way Radios



Batteries

Made for all models of radios.
Call for ANY brand!



Vehicle Mount for O-Post



O-Post for Vehicle Mount



Swivel Belt Clip -Detachable-



RSM Clip Options

Vehicle Mount Kit

Made for Multi-Chargers



Need quantity prices or custom parts? Just let us know!

2-WAY RADIO

Connector options

P/N	Connector Figure	Radio Brand	Radio Models
K1		Blackbox	Zone, Bantam, Club
		Kenwood	TK208, TK220, TK240, TK240D, TK248, TK250, TK260, TK260G, TK270, TK270G, TK308, TK320, TK340, TK340D, TK348, TK350, TK353, TK360, TK360G, TK370, TK370G, TK372G, TK373, TK430, TK431, TK2100(ProTalk), TK2102(ProPower), TK2130(ProTalk XLS), TK2180, TK2170, TK2200, TK2202, TK2212, TK2300, TK2360, TK2360ISV16P, TK2400V16P, TK2402V16P, TK3000, TK3100(ProTalk), TK3101(FreeTalk XL), TK3102(ProPower), TK3130(ProTalk XLS), TK3131(FreeTalk XLS), TK3160, TK3170, TK3173, TK3201, TK3202, TK3212, TK3220, TK3230, TK3230DX, TK3230DXK, TK3230DXBKP, TK3300, TK3360, TK3360ISV16P, TK3400U16P, TK3402U16P, NX220, NX240 series, NX1200/1300 NX320, NX340, NX340U16P, NX350U16P2
		RELIM	RPV516A, 599A, Plus/RPU416A, 499A Plus, RP4200
		Blackbox	Pocket+, Bantam
K2		Kenwood	TK2140, TK2180, TK3140, TK3148, TK280, TK290, TK380, TK390, TK480, TK481, TK190, TK3180, TK5210, TK5220, TK5310, TK5320, TK5400, NX200, NX300, NX5200, NEXEDGE Series
K3		Kenwood	Kenwood PKT-23 Radios
K4		Kenwood	NXP500
R7		Motorola	R7 Radio Series
M1		Blackbox	Blackbox, Blackbox+, Bantam
		Motorola	BPR40, CLS1110, CLS1410, CP100, CP125, CP150, CP185, CP200, CP200D, CT150, CT250, CT450, CT450LS, DTR410, DTR600, DTR700, GP350 (requires a Motorola HLN9482 adaptor), GP68, GP88, GP280, GP300, GP308, GP2000, GTI, GTX, LTS2000, P040, P080, P110, P1225, P1225LS, PR400, PRO3150, RDU4100, RDU4160D RDV5100, RMU2040, RMU2050, RMU2080, RMU2080D, RMV2080, SP10, SP21, SP50, XTN448, XTN500, XTN600, XV1100, XV2100, XU1100, XU2100, XU2600, VL130, VL50
		Blackbox	GO!, M1-DMR, Bantam
		HYT	TC-448S, POWER446, TC500, TC508, TC600, TC610, TC-620, TC700, TC700EX
		TEKK	XU100, XV100, XU1000, XV1000
		Bearcom	BC130, BC95, BC250D
M2		Motorola	Visar Series
M3		EF Johnson	51SL, 5000, 5100, 7700 Series, VP600, 900
		Motorola	GP900, 9000, HT1000, JT1000, MT1500, MT2000, MTS2000, MTX8000, 838, 900, 9000, PR1500, MTX-LS, XTS1500, XTS2500, XTS3000/Astro, XTS3500, 5000
M4		Motorola	GP1280, 140, 320, 328, 329, 338, 339, 340, 360, 380, 640, 650, 680, HT1250, 1250LS, 1550, 1550XLS, 750, MTX8250, 8250LS, 850, 850LS, 9250, 950, 960, PR860, PRO5150, 5350, 5450, 5550, 5750, PRO7150, 7350, 7450, 7550, 7750, 9150, PXT700, 760, 780
		HYT	TC980
M5		Siyata	SD-7 Device
		Motorola	EX500, EX560XLS, 600, GL2000, GP328Plus, 338Plus, GP344, 388, PRO5150elite
		HYT	TC610P, TC780, TC3000
M6		Motorola	Sprint GT/GT+ Talkabout 270, 280, T289, T5100, 5200, 5300, 5340, 5400, 5410, 5420, Cobra FRS 5512, 5522, T5800, 5820, 6200, 6210, 6220, 6250, 6300, 6320, 6400, T7200 series and FR50, 60
		HYT	TC1688, TC-320, TC-310
M7		Motorola	DGP 4150+ Series, DGP 5000 & 8000 Series, TRBO XPR6000 and XPR7000 Series, APX6000 and APX7000 Series, APX1000, APX3000, APX4000, APX8000 and SRX2200
M8		Motorola	TLK100 Series, SL300, SL7550, SL4000, SL4010, SL500
M9		Motorola	XPR3300, XPR3300e, XPR3500, XPR3500e
CLP		Motorola	CLP446 & CLK446
S1		Icom	IC-F3, F3S, F30G, F31, F4, F4S, F4TR, F10, F20, H2, H6, J12, M5, U12, U16, 4008, 4088A, All Icom Dual-Pin Amateur
		Maxon	SL25, SL55, SP100, SP120, SP130, SP140, PL1145, PL2215, PL24125, PL2445, All COBRA 2 Pin
		Motorola	Talkabout 200, 250, Distance, Distance DPS
		Riltron	Patriot Series RTX, SST, Jobcom JMX, MBX
		Vertex	VX-200, VX-500, VX-510, VX-520UD

CONNECTORS

Don't see your connector? Call us!

P/N	Connector Figure	Radio Brand	Radio Models
S2		Maxon	75-785, 75440, GTX-200, GTX-250, GTX-300, GTX-325, GTX-400, GTX-444, GTX-450, G-225, G-227, G-300, GXT500VP, SP140, Some Midland Radios
S3		Icom	F3G, F3GS, F4G, F4GS, F11, F11S, F14, F14S, F15, F21, F21S, F22, F24, F24S, F31, F33, F43
S4		Maxon	SL100, SP200, 200K, SP210, 210K, SP220K Legacy Series: PL1145, PL2245, PL2215P, PL2245P, PL2415, PL2445, PL5000, PL5151, PL5161, PL5184, TruTalk MURS-22/25
S6		Icom	F11, F21, F14, F14S, F24, F24S, F33G, F43G, F43TR, F3001, F3011, F3021, F3021S, F3021T, F4001, F4011, F4021, F4021S, F4021T, IC-V80/V80E
S6-WP		Icom	F3031S, F4031S, F3101D, F4101D, F3210D, F4210D, F3230D, F4230D, F1000T, F2000T, F1000S, F2000S, F1000, F2000
S8		Icom	F30G, F30GS, F30GT, F31G, F31GS, F31GT, F40G, F40GS, F40GT, F41G, F50, F50V, F60, F60V, F70, F80, F3061T/S, F3061S, F3161, F3161DS/S, F3161DT/T, F4061T/S, F4061S, F4161, F4161DS/S, F4161DT/T, M88
S9		Icom	ICOM 14-pin Connector. IC-F9011/F9021 Series, IC-F3260/F4260 Series, M85
Y1		Vertex	VX-10, VX-300, VXF-1, VX410, 420
Y4		Vertex	VX130, VX160, VX180, VX210, VX210A, VX230 Series, VX260 series, VX350, VX400, VX410, VX420, VX351, VX354, VX231, VX451, VX454, VX459, EVX531/534/539
Y5		Vertex	VX820/VX920/VX824/VX924/VXD720
Y6		Vertex	HX380/HX400/HX400IS, EVX-S24
Sepura		Sepura	STP8000
Tait		Tait	TP8100
Tetra1		Tetra	SPS-C200
Tetra2		Tetra	MTP-850
H1		Hytera	PD782, PD702
H2		Hytera	PD605/PD605G, PD665/PD665G, PD685/PD685G, X1e, X1p, Z1p
H3		Hytera	PD35X, PD36X
TC700		Hytera	TC700/700Ex, TC500/508/518/580, TC610, PD502/562
SO		Sonim	3.5mm Right Angle
KO		Rugby PRO and Others	
3.5ST		Sonim	3.5mm Straight Angle for iPhone and Other Mobile Phones



2024
Q3

oem
ORIGINAL EQUIPMENT
MANUFACTURER

odm
ORIGINAL DESIGN
MANUFACTURER

Need a custom product?
Klein offers ODM and OEM
product development.

PROFESSIONAL RADIOS & ACCESSORIES

U.S. 800.959.2899

Int'l 760.781.3220

Email: sales@kleinelectronics.com

Web: www.KleinElectronics.com

349 N. Vinewood street

Escondido, California USA 92029

